2023

Kuppersberg

Quality in Details

برند لوکس kuppersberg در سال ۲۰۰۰ میلادی فعالیت خود را با تکیه بر تیمی متشکل از متخصصان و طراحان برتر آلمانی با تولید هودهای آشپزخانه در شهر برلین آلمان آغاز نمود. این شرکت ظرف مدت ۵ سال طیف محصولات خود را با تولید فر، ماکروفر ،بخارپز، اجاق گازهای رومیزی، یخچال و غیره با تخصص توکار گسترده تر نمود و کارخانجات خود را به کشورهای دیگر اروپایی از جمله پرتغال ، اسپانیا ، فرانسه جهت بهره گیری از علم و تکنولوژی روز دنیا گسترش داد.

این شرکت با شعار کیفیت در جزئیات (Quality in Details) و همچنین با استفاده از برترین تکنولوژی های روز دنیا در تولید محصولات خود و نیز طراحی های نوین در دو گروه مدرن و کلاسیک ، توانست جایگاه ویژه ای در میان برترین برندهای لوکس لوازم خانگی دنیا بدست آورد.

شرکت آرماندیس لیان آریان به عنوان نماینده انحصاری و رسمی kuppersberg آلمان مفتخر به ارائه محصولات لوکس این شرکت با گارانتی ۲ ساله طلایی آرماندیس و خدمات پس از فروش ۱۰ ساله در ایران می باشد.

GAS COOKTOPS 4
ELECTRIC COOKTOPS 7
GAS COOKERS 9
ELECTRIC OVENS 10
MICROWAVE OVENS 13
COFFEE MACHINES 14
DRAWING WARMERS 15
SIDE BY SIDES 16
FRIDGE-FREEZERS 18
DISHWASHERS 20
WASHING MACHINES 22
HOODS 23
BUILT-IN HOODS 24

GAS COOKTOPS

FV9TGRZ C BRONZE

FV9TGRZ BOR BRONZE



FV9TGRZ W SILVER

- Width 86 cm
- 5 gas burner
- front left 1.0 kW
- front right 1.75 kW
- central WOK 3.6 kW
- rear left 1.75 kW
- rear right 3.0 kW
- High power burner
- Automatic electric ignition
- Flame safety device
- Cast-iron pan supports
- Enameled surface
- Cast-iron stands for cookware with round bottom
- LNG nozzles
- Dimensions of cooktop (HxWxD) in mm:
  - 34x860x500
- Recess dimensions (WxD) in mm:
  - 840x480

FV9TGRZ ANT BRONZE

FV9TGRZ ANT SILVER



GAS COOKTOPS

FV6TGRZ C BRONZE

FV6TGRZ BOR BRONZE

FV6TGRZ W SILVER

- Width 58 cm
- 4 gas burners
- front left 3.6 kW
- front right 1.0 kW
- rear left 1.75 kW
- rear right 3.0 kW
- High power burner
- Automatic electric ignition
- Flame safety device
- Cast-iron pan supports
- Enameled surface
- Cast-iron stands for cookware with round bottom
- LNG nozzles
- Dimensions of cooktop (HxWxD) in mm:
  - 33x580x500
- Recess dimensions (WxD) in mm:
  - 555x475

FV6TGRZ ANT BRONZE

FV6TGRZ ANT SILVER



ELECTRIC COOKTOPS

FA9RC BRONZE

- FA9RC 5 fast heating zones Hi-Light
- Independent glass-ceramic cooktop
- Width 90×60×30 cm
- front left 145 mm/ 1.2 kW
- front right 165 mm/ 1.2 kW
- rear left 120-180 mm/ 0.75-1.8 kW
- rear right 160 mm/ 1.5 kW
- central 140-210-270 mm/ 1.0-2.0-2.7 kW
- 1 double cooking zone
- 1triple cooking zone
- Automatic boiling
- Automatic shutdown
- Dimensions of cooktop (HxWD) in mm:
  - 45x920x530
- Recess dimensions (WxD) in mm:
  - 860x490



FA6RC BRONZE

- FA6RC 4 / FA6VS 4 fast heating zones Hi-Light
- front left 140 mm/1.2kW
- front right 120-210 mm / 0.75-2.2 kW
- rear left 120-180 mm/ 1.8-75 .0kW
- rear right 140 mm/1.2kW
- Electronic touch control
- 4 digital displays, 9 power levels
- Programming of the cooking modes
- Child safety lock/ control panel lock
- Residual heat indicators
- Timer
- Dimensions of cooktop (HxWD) in mm:
  - 45x597x528
- Recess dimensions (WxD) in mm:
  - 560x490



FT6VS16 W

Küppersberg
Made in Italy

GAS COOKERS

ZBM 6699 C

ZBM 6699 ANT

- Handmade gas hob
- elecric Oven with 8 cooking modes
- A multifunctional oven of 94 liters is equipped
- with 8 programs, including a grill and convection
- Width 70×96×90 cm
- 5 gas burners
  - front left 3 kW
  - front right 1 kW
  - rear left 1.75 kW
  - rear righ 1.75 kW
  - central 3.6 kW
- High power burner
- Automatic electric ignition
- Flame safety device
- Cast-iron pan supports
- Enameled surface
- Cast-iron stands for cookware with round bottom
- LNG nozzles
- Gas control
- Number of door glasses: 3
- Removable glass door
- Enamel baking tray
- Chrome grille
- Telescopic guides on 2 levels
- Chrome guide
- Dinnerware box



ELECTRIC OVENS

RC 6911 C BRONZE

RC 6911 W SILVER

RC 6911 ANT BRONZE

RC 6911 ANT SILVER

RC 6911 BOR BRONZE





ELECTRIC OVENS

SR 609 C

SR 669 B

SR 663 C

- 9 cooking modes
- Regular heating
- Regular heating with fan
- Grill
- Maxi-grill
- Maxi-grill with fan
- Turbo mode
- Base heating
- Base heating with fan
- Grill and base heating
- Rotary dials
- Analog timer
- Catalytic cleaning system
- Easy-clean enamel Crystal Clean
- Chrome plated rails for baking trays
- Full glass front panel
- Removable double glazed oven door
- Removable inner glass
- Oven volume 65 L
- Standard baking tray
- Deep baking tray
- Grill grid
- 2-level telescopic guides
- Electrical connection: 2.95 kW
- Recess size for embedding a tabletop (HxWxD) mm: - 570×560×600
- Recess size for embedding in a column (HxWxD) mm - 585(+10)x570x560
- Recess size for embedding a tabletop (HxWxD) mm - 570×560×600



ELECTRIC OVENS

HH668 T

HH668 W

- 9 cooking modes
- Regular heating
- Regular heating with fan
- Grill
- Maxi-grill
- Maxi-grill with fan
- Turbo mode
- Base heating
- Base heating with fan
- Grill and base heating
- Rotary dials
- Analog timer
- Catalytic cleaning system
- Easy-clean enamel Crystal Clean
- Chrome plated rails for baking trays
- Full glass front panel
- Removable double glazed oven door
- Removable inner glass
- Oven volume 65 L
- Standard baking tray
- Deep baking tray
- Grill grid
- 2-level telescopic guides
- Electrical connection: 2.95 kW
- Recess size for embedding a tabletop (HxWxD) mm: - 570×560×600
- Recess size for embedding in a column (HxWxD) mm - 585(+10)x570x560
- Recess size for embedding a tabletop (HxWxD) mm - 570×560×600





MICROWAVE OVENS

RMW 969 C

RMW 963 C

RMW 969 ANT

RMW 969 BOR

RMW 969 ANT silver

- Built-in microwave oven
- Microwave power level 200-1000 W
- Grill power 1500 W
- Connection power 3400 W
- 6 power levels
- 11 automatic programs
- Automatic defrosting
- Manual defrosting
- Fully electronic touch control
- Multi-function timer
- Clock
- Inner stainless steel surface
- Triple glazed safe door
- Folding grill
- Child lock
- Halogen lights
- Turntable On/Off
- Cavity capacity: 32 L
- High grill grid
- Low grill grid
- Turntable 32 cm
- Electrical connection: 3.3 kW
- Working chamber size (WxHxD) in mm:

- 390×420×210



COFFEE MACHINES

CM 969 C

- fully automatic coffee machine
- create frothy milk
- Designed to accommodate every cup size
- adjustable brewing chamber
- brewing uptwo beverages simultaneously
- stainless steel
- separate containers for ground coffee and coffee beans
- LCD touch controls
- water tank
- drip tray
- (WxHxD) in mm: - 455 x 595 x 525 mm

CM 969 ANT

CM 969 BOR



DRAWING WARMERS

RW 969 C

- keep dishes warm
- slow cook function available
- usually located below the main oven compartment
- sensor temperature control
- 75-30°C adjustable thermostat
- Smooth slide drawer runners
- 30 minutes to reach 75°C for 6 peoples dishes
- help bread dough rise
- Working chamber size (WxHxD) in mm:
- 260×580×760

RW 969 ANT

RW 969 BOR



SIDE BY SIDES

NSFD 17793 C



NSFD 17793 ANT

NSFD 17793 X

Side by Side Freestanding refrigerator
- Reversible door hinges
- Electronic control
- LED display
- LED camera lighting
- Antibacterial plastic
- Voltage 240-220 V
- Compartment for vegetables 2
- Freshness zone
- Egg shelf
- Child lock
- Ice maker (cubes / crushed ice / chilled water)
- Energy efficiency class A++
- (WxHxD) in mm: - 910 x 1770 x 700 mm

REFRIGERATION COMPARTMENT
- Automatic Defrost system
- Volume 368 L
- Total number of boxes 2
- Box for vegetables and fruits2
- Total number of shelves 4
- Number of shelves per door 5

FREEZER COMPARTMENT
- Volume 224 L
- Productivity, kg/day 12
- Number of shelves 3
- Number of boxes 2
- Tray for making ice cubes
- ice maker







Kuppersberg
Kuppersberg
Kuppersberg

FRIDGE-FREEZERS

CRB 17762

Built-in two-compartment refrigerator
• Reversible door hinges
• Climate class SN-T
• Electronic control
• Interior LED light
• Antibacterial plastic
• Dynamic cooling/ fan
• Fast cooling
• Automatic defrosting
• Reversible doors
• Door fastening type Door-on-Door
• Number of compressors 1
• Voltage, 240-220 V
• Recess size for embedding (WxHxD) mm
- 1786 x 560 x 560

REFRIGERATION COMPARTMENT
• Compartment for vegetables 2
• Egg shelf
• Number of shelves 4
• Volume 201 L
• Total number of shelves 4
• Number of shelves per door 4

FREEZER COMPARTMENT
• Freezer compartment defrost system
• Volume 63 L
• Number of boxes 3
• Tray for making ice cubes
• Current strength, A 10



FRIDGE-FREEZERS

SFB 1770

SRB 1770

SFB 1770 / SRB 1770 FRIDGE-FREEZERS
- Reversible door hinges
- Voltage, 240-220 V
- Useful volume 197 L (SFB 1770)
- Useful volume 300 L (SRB 1770)
- Climate class SN-T
- Electronic control
- Interior LED light
- Antibacterial plastic
- Dynamic cooling/ fan
- Fast cooling
- Automatic defrosting
- Reversible doors
- Door fastening type Door-on-Door
- Compartment for vegetables 2
- Egg shelf
- Number of shelves 4 (SFB 1770)
- Number of shelves 5 (SRB 1770)
- Recess size for embedding (WxHxD) mm
- 550×1770×560



DISHWASHERS

GL 6088

- Capacity (sets of dishes) 14
- Temperature requirements 3
- Number of programs 10
- Height adjustable upper basket
- Third basket for the cutlery
- Shelves for cups
- Glass shelves
- Salt and rinse aid
- indicatorLighting on the floor
- Water consumption 9 L
- Electricity consumption, kW/h 1,05
- Energy Efficiency Class A+
- Connection power, kW 1,8
- Recess size for embedding (WxHxD), mm
  - 600×820×580

GL 6033

- Capacity (sets of dishes) 13
- Temperature requirements 3
- Number of programs 5
- Intensive 65 °C
- Eco 50 °C
- Adjustable upper rack
- Third basket for the cutlery
- Shelves for cups
- Glass shelves
- Autoclean filter
- Half load
- Water consumption 9 L
- Electricity consumption, kW/h 1,05
- Energy Efficiency Class A+
- Connection power, kW 1,8
- Recess size for embedding (WxHxD), mm
  - 598×820×555



KUPPERSBERG

WASHING MACHINES

WD 1488

Built-in Washing machine built-in
• Width, cm 59.6
• Height, cm 82
• Depth, cm 54
• Washing capacity 8 kg
• Drying capacity 6 kg
• Digital display Electronic control
• Spin, rpm 1400
• Weight 65 kg
• Number of programs 15
- Quick wash 15 min
- Sport wear
- 20 °C
- Jeans
- Wool
- ECO 40-60
- Intensive
- Spin only
- Rinse and spin
- Baby care
- Dry only
- Wah and dry
- Mix
- Cotton
- 1hour W/D
• Recess size for embedding (HXWXD),cm
- 595×540×825



HOODS

V 939 ANT

Dome Hood type
- Operating mode venting / recirculation
- metal filter
- carbon filter
- Number of speeds 5
- Productivity, m3/h 800
- Number of speeds 5
- Lighting LED
- Switches push-button
- metal grease filter
- Return valve
- Voltage, 240-220 V
- Connection power 222 W
- Adapter 150-120
- electronic push-button
- Duct diameter 15-12 cm
- (WxHxD) in mm: - 505×897×835

V 939 C

V 939 BOR



BUILT-IN HOODS

INLINEA 72

INLINEA 70 Built-in Hood type
- Operating mode venting / recirculation
- Productivity, m3/h 650
- Width, cm 70
- Height, cm 25
- Depth, cm 28.5
- Number of speeds 3
- Lighting LED
- Lighting power, W 2×2
- metal grease filter
- Return valve
- Adapter 150-120
- Connection power, W 140
- Recess size for embedding (WxHxD), mm
- 300×710×260

SLIMLUX II 90 B

SLIMLUX II 90 B / SLIMLUX II 90 C
Built-in Hood type
- Operating mode venting / recirculation
- Productivity, m3/h 550
- Number of speeds 3
- Lighting LED
- Lighting power, W2×6
- metal grease filter
- Return valve
- Adapter 100-120
- Connection power 260 W
- Recess size for embedding (WxHxD), mm
- 280×905×200

SLIMLUX II 90 C





Kupperoberg
Kupperoberg

ARMANOIS
LIAN ARIAN

نماینده رسمی و انحصاری کوپرزبرگ آلمان

تهران،خیابان آجودانیه
کوچه چهاردهم شرقی
۰۲۱ ۲۶ ۱۵ ۱۱ ۹۲
۰۲۱ ۲۶ ۱۵ ۴۲ ۲۹
۰۹۱۰۰۹۱۱۹۱۱
@kuppersberg.ir
www.kuppersberg.ir
info@kuppersberg.ir